

PUBLISHED: 30-MAR-2017
2017.0 DISCOVERY (LR), 206-05

PARKING BRAKE AND ACTUATION

ELECTRIC PARK BRAKE RELEASE WHEN THE VEHICLE HAS NO ELECTRICAL POWER (G1947453)

GENERAL PROCEDURES

01.01.27	ELECTRONIC PARK BRAKE RELEASE - PROCEDURE	ALL DERIVATIVES	0.6	USED WITHINS
----------	--	--------------------	-----	-----------------

PART(S)

STEP	PART NAME	QUANTITY
Adjustment Step 1	Electric park brake actuator fitting kit	1

CHECK

NOTE:

To be carried out in the event that the vehicle has no electrical power.

1.

WARNING:

Make sure to support the vehicle with axle stands.


Raise and support the vehicle.

-
2. Refer to: Wheel and Tire - TDV6 3.0L Diesel /V6 S/C 3.0L Petrol /INGENIUM I4 2.0L Diesel (204-04 Wheels and Tires, Removal and Installation).

3.

⚠ CAUTION:

Left illustration shown, Right is similar.



Disconnect the electrical connector.


4.

⚠ CAUTION:

Left illustration shown, Right is similar.

⚠ NOTE:


Remove and discard the O-ring seal.



5.

⚠ CAUTION:

Left illustration shown, Right is similar.



Release the caliper as illustrated.

6. Repeat the above procedure for the other side.

ADJUSTMENT


1.

⚠ CAUTION:

Left illustration shown, Right is similar.

⚠ NOTE:

Install a new O-ring seal.




Renew Part: *Electric park brake actuator fitting kit* Quantity: *1* .

Torque: **11 Nm**

2.

⚠ CAUTION:

Left illustration shown, Right is similar.



Connect the electrical connector.

3. Calibrate the electric parking brake (EPB) using the diagnostic tool.